

Work Order ID 141272

141272

Page 1

February 03, 2016 10:51:43 AM

Item ID: D350-578-031 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: AS350/AS355 Bearpaw Wearplates
 Start Date: 2/3/2016 Start Qty: 3.00 *3* Cust Item ID:
 Required Date: 2/24/2016 Req'd Qty: 3.00 *3* Customer:
 Reference:

Approvals: Process Plan: SJA Date: 20160203 Tooling: _____ Date: _____
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
 Run Start *NR1*
 Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr		DAS						
D350-578	H		6						
			9-00						
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile and type labels per PPP D350-578-031 CHG 003								
105	Pick Kit	0.00							
105									
Packaging	Memo	0.00							
Packaging									
110	QC4- 100% Inspect kits for completeness	0.00							
110									
QC	Memo	0.00							
Quality Control									

MW 16-02-103

3x 16/02/11

3x DAS 6 9-00 FEB 10 2016

3x 16/02/11

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		☐ OTHER : _____							

Work Order ID 141272

February 03, 2016 10:51:43 AM

141272

Page 2

Item ID: D350-578-031 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: AS350/AS355 Bearpaw Wearplates
Start Date: 2/3/2016 Start Qty: 3.00 ***3*** Cust Item ID:
Required Date: 2/24/2016 Req'd Qty: 3.00 ***3*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	Packaging	0.00							
120									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D350-578-031 and DSI9429								
	Location: _____								
	PPP Rev: <u>86127</u>								
130	QC21- Final Inspection - Work Order Release	0.00							
130									
QC	Memo	0.01							
Quality Control									

BAS
27
9-82
10/2/10

MCJ FEB 16 2016

SIA 20160211

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : _____			
Misidentified ☐		Past Due ☐					

Picklist Print

February 03, 2016 10:51:47 AM

Page 1

Work Order ID: 141272

141272

Parent Item: D350-578-031

D350-578-031

Parent Item Name: AS350/AS355 Bearpaw Wearplates

Start Date: 2/3/2016

Required Date: 2/24/2016

Start Qty: 3.00

Required Qty: 3.00

Comments:

IPP Rev:A 09-02-03 new issue DD verified by:JLM
14.05.01 AS PER ECN14-544 DD VERF:JLM
JLM VERIFIED BY:DD

IPP REV:B

IPP REV:C 15.03.30

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3859-041

Manufactured

No

105

Each

0.0000

2

6

D3859-041

Wearplate Assembly

AN4-16A

Purchased

No

Each

341.0000

12

36

AN4-16A

Bolt

Location

Loc Qty

Loc Code

FG

5

121541

5

over003

300

M134055

100

M134134

200

ST343

36

M133998

36

AN4-17A

Purchased

No

105

Each

264.0000

12

36

AN4-17A

Bolt

Location

Loc Qty

Loc Code

over003

250

M133998

250

ST343

14

M133790

14

DAS 6 27 9-89
FEB 10 2016

DAS 6 27 9-89

DAS 6 27 9-89

FEB 10 2016

Picklist Print

February 03, 2016 10:51:48 AM

Page 2

Work Order ID: 141272

Parent Item: D350-578-031

Parent Item Name: AS350/AS355 Bearpaw Wearplates

141272

D350-578-031

Start Date: 2/3/2016

Required Date: 2/24/2016

Start Qty: 3.00

Required Qty: 3.00

NAS1149D0463J

Purchased

No

105

Each

5,106.000

24

72

NAS1149D0463J

WASHER

**

LocationLoc QtyLoc Code

GA

397

M129390

41

M132035

356

ST260a

1999

M134039

1999

ST263

1361

M134039

1361

ST269

1349

M130799

361

M132317

100

M132677

888

DAS
6
9-89DAS
6
9-89

MS21042L4

Purchased

No

105

Each

3,115.000

12

36

MS21042L4

Locknut

**

LocationLoc QtyLoc Code

FP001

41

m133363

41

GA

26

m127813

26

ST007

1500

m134055

1500

ST303

1451

m133769

1451

ST305

97

m130922

97

DAS
6
9-89DAS
6
9-89

FEB 10 2016

February 03, 2016 10:51:48 AM

Shop Packet Print

Page 2

5.0 PARTS LIST

5.1 D350-578-011/-013/-015/-017/-021 BEARPAW INSTALLATION

Qty -011	Qty -013	Qty -015	Qty -017	Qty -021	Qty -031	Part Number	Description
X						D350-578-011	BEARPAW INSTALLATION
	X					D350-578-013	BEARPAW INSTALLATION
		X				D350-578-015	BEARPAW INSTALLATION
			X			D350-578-017	BEARPAW INSTALLATION
				X		D350-578-021	BEARPAW INSTALLATION
					X	D350-578-031	WEARPLATE KIT
2						D2432F	Bearpaw
		2				D2432-3	Bearpaw
12	12	12	12	12		D2529	Washer
				2		D2672F	Bearpaw
12	12	12	12	12		D3601-1	Radius Block (Replaces D2274)
					2	D3859-041	Wearplate
6	6	6	6	6		D4011-1	Clamp (Replaces D2438)
6	6	6	6	6		D4012-1	Cushion (Replaces D2182B050)
	2					D4297-1	Bearpaw
			2			D4297-3	Bearpaw
12	12			12	12	AN4-16A	Bolt
		12	12		12	AN4-17A	Bolt
24	24	24	24	24	24	NAS1149D0463J	Washer
12	12	12	12	12	12	MS21042L4	Nut (or MS21042-4)

5.2 D350-578-111/-113/-115/-117/-121 BEARPAW INSTALLATION

Qty -111	Qty -113	Qty -115	Qty -117	Qty -121	Part Number	Description
X					D350-578-111	BEARPAW INSTALLATION
	X				D350-578-113	BEARPAW INSTALLATION
		X			D350-578-115	BEARPAW INSTALLATION
			X		D350-578-117	BEARPAW INSTALLATION
				X	D350-578-121	BEARPAW INSTALLATION
1					D350-578-011	Bearpaw Installation
	1				D350-578-013	Bearpaw Installation
		1			D350-578-015	Bearpaw Installation
			1		D350-578-017	Bearpaw Installation
				1	D350-578-021	Bearpaw Installation
1	1	1	1	1	D350-578-031	Wearplate Kit